


AD-N8SA8	N Jack To SSMA Jack 11GHz VSWR 1.2	50Ω
----------	---------------------------------------	-----



Parts	Material	Plating (Micro-inch)
Contact Pin	Beryllium Copper	Gold 4 Over Nickel-Phosphorus Alloy 80 Over Copper 20
Insulator	Teflon	
Body (SSMA)	Brass	Gold 4 Over Nickel-Phosphorus Alloy 80 Over Copper 20
Body (N)	Brass	Tin-Zinc-Copper-Alloy 100 Over Copper 50

Weight: 19.49 g

This part number complies with RoHS.  
 Notice: JYEBAO reserves the right to make modifications deemed appropriate.

AD-N8SA8	N Jack To SSMA Jack 11GHz VSWR 1.2	
<div style="border: 1px solid black; padding: 2px;">Interface</div> <p>Standard</p>	<div style="border-bottom: 1px solid black; padding: 2px;">N</div> <p>MIL-STD-348B</p>	<div style="border-bottom: 1px solid black; padding: 2px;">SSMA</div> <p>MIL-STD-348B</p>
<div style="border: 1px solid black; padding: 2px;">Electrical Data</div> <p>Impedance</p> <p>Frequency Range</p> <p>VSWR</p> <p>Insertion Loss</p> <p>Insulation Resistance</p> <p>Dielectric Withstanding Voltage (at sea level)</p> <p>Working Voltage (at sea level)</p>	<p>50Ω</p> <p>DC To 11GHz</p> <p>≤ 1.2 (DC To 11GHz)</p> <p>≤ 0.05 x √f(GHz) dB</p> <p>≥ 5000MΩ</p> <p>750 V rms</p> <p>250 V rms</p>	
<div style="border: 1px solid black; padding: 2px;">Mechanical Data</div> <p>Recommended Coupling Nut Torque</p> <p>Coupling Proof Torque</p> <p>Contact Captivation-axial</p> <p>Durability (mating)</p>	<div style="border-bottom: 1px solid black; padding: 2px;">N</div> <p>6 to 10 in-lbs</p> <p>15 in-lbs</p> <p>≥ 6.3 lbs</p> <p>≥ 500</p>	<div style="border-bottom: 1px solid black; padding: 2px;">SSMA</div> <p>4 in-lbs</p> <p>5 in-lbs</p> <p>≥ 5 lbs</p> <p>≥ 500</p>
<div style="border: 1px solid black; padding: 2px;">Environmental Data</div> <p>Temperature Range</p> <p>Thermal Shock</p> <p>Moisture Resistance</p> <p>Corrosion</p> <p>RoHS</p>	<p>-65°C to +165°C</p> <p>MIL-STD-202, Method 107, Condition B</p> <p>MIL-STD-202, Method 206</p> <p>MIL-STD-202, Method 101, Condition B</p> <p>Compliant</p>	

Notice: JYEBAO reserves the right to make modifications deemed appropriate.