


AD-PM8S3	SMPM Jack To SMB Plug	50Ω												
														
<p>Typical VSWR</p> <table border="1" style="margin: auto; border-collapse: collapse;"> <thead> <tr> <th>Part Number</th> <th>1Ghz</th> <th>2Ghz</th> <th>3GHz</th> <th>4GHz</th> <th>5~6GHz</th> </tr> </thead> <tbody> <tr> <td>AD-PM8S3</td> <td>1.03</td> <td>1.06</td> <td>1.09</td> <td>1.13</td> <td>1.18</td> </tr> </tbody> </table>			Part Number	1Ghz	2Ghz	3GHz	4GHz	5~6GHz	AD-PM8S3	1.03	1.06	1.09	1.13	1.18
Part Number	1Ghz	2Ghz	3GHz	4GHz	5~6GHz									
AD-PM8S3	1.03	1.06	1.09	1.13	1.18									
<p>NOTE: SMPM MATEABLE WITH GPPO™ (GILBERT ENGINEERING CO)</p>														
Parts	Material	Plating (Micro-inch)												
Retainer Ring	Beryllium Copper	Gold 4 Over Nickel-Phosphorus Alloy 80 Over Copper 20												
Contact Pin	Beryllium Copper	Gold 4 Over Nickel-Phosphorus Alloy 80 Over Copper 20												
Insulator	Teflon													
Body(SMB)	Brass	Gold 4 Over Nickel-Phosphorus Alloy 80 Over Copper 20												
Body(Mini SMP)	Beryllium Copper	Gold 4 Over Nickel-Phosphorus Alloy 80 Over Copper 20												
<p>Weight:</p>														

This part number complies with RoHS.

Notice: JYEBAO reserves the right to make modifications deemed appropriate.